

# CERTIFICATE

**TÜV NORD Systems GmbH & Co. KG**

certifies that the company

**Liberty Ostrava a.s.  
Plant 15 Tube plant  
Vratimovská 689/117, Kunčice  
719 00 Ostrava  
Czech Republic**

has been verified and recognized as material manufacturer according to

**AD 2000-Merkblatt W0**

**Certificate-No.: 07/203/9190/WP/0807/18 (02)**

File No.: 9190/WP/0807/18 / 4320118/01

Production site: Liberty Ostrava a.s., Plant 15 Tube plant, Vratimovská 689/117, Kunčice, 719 00 Ostrava, CZ

The scope of approval is available in the annex scope of approval.

The company fulfils the following essential requirements:

Facilities for appropriate manufacturing and testing, appropriate procedures for manufacturing of the products, qualified personnel for manufacturing and testing of the products and a quality management system with appropriate records, which ensures proper manufacture of the products, as well as compliance with the requirements specified in the material specification.

This certificate is valid until

**10/2021**

Praha, 06.03.2020

Annex: scope of approval

TÜV NORD Czech, s.r.o.  
Českomoravská 2420/15  
CZ 190 00 Praha 9

Phone: +420 296 587 211  
Fax: +420 296 587 240  
E-Mail: [tuev-nord@tuev-nord.cz](mailto:tuev-nord@tuev-nord.cz)



Dipl.-Ing. Vávra 

TÜV NORD Systems GmbH & Co. KG,  
Große Bahnstraße 31, D-22525 Hamburg

# TÜV NORD Systems GmbH & Co. KG



## Geltungsbereich als Anlage zum Zertifikat / Scope of Approval as annex to Certificate

X Richtlinie 2014/68/EU, Anh. I, Pkt. 4.3 / Directive 2014/68/EU, Ann. I, Point 4.3. Zertifikat-Nr. / Certificate No.: 0045/202/9190/WZ/0807/18 (01)  
 X AD 2000-Merkblatt W 0 / AD 2000-Merkblatt W 0 Zertifikat-Nr. / Certificate No.: 07/203/9190/WP/0807/18 (01)

<b>Firma / Company:</b>	<b>Ort / Location:</b>	<b>AZ / File No.:</b>	<b>SAP-Nr.:</b>	<b>Datum / Date:</b>
Liberty Ostrava a.s., Plant 15 – Tube plant	Vratimovská 689/117, Kuncice 719 00 Ostrava, CZ	4319368/01	9190/WZ/0807/20 Erweit2	23.03.20

Nr.	Werkstoffbezeichnung Material designation	Spezifikation Specification	Lieferzustand* Delivery cond.*	Erzeugnisform Product type	Abmessungen Dimensions			Prüfgrundlagen Test specifications	Bemerkungen Remarks
					Dicke Thickness [mm]	Ø / Gewicht Ø / Weight [mm] / [kg]	7 / 8		
1	2	3	4	5	6	7 / 8	9	10	
1 Werkstoffe nach harmonisierten Normen (2014/68/EU) / Materials according to harmonized standards (2014/68/EU)									
1.1	P195TR2 to P265TR2	DIN EN 10216-1	N	Seamless tubes	2,3-25	21,3-273	IC 3.1	In connection with the regulations within column 9, the materials meet the general mechanical and technological requirements of PED. The specific operation conditions have to be given by the pressure equipment manufacturer. If necessary, the involved notified body has give his agreement.  1) = valid for coil	
1.2	P195GH to P265GH	DIN EN 10216-2	N	Seamless tubes	2,3-25	21,3-273	IC 3.1		
	16Mo3	DIN EN 10216-2	N	Seamless tubes	2,3-25	21,3-273	IC 3.1		
	10CrMo5-5, 10CrMo9-10	DIN EN 10216-2	NT	Seamless tubes	2,3-25	21,3-273	IC 3.1		
	13CrMo4-5	DIN EN 10216-2	NT	Seamless tubes	6,3-25	139,7-273	IC 3.1		
	X11CrMo9-1+NT	DIN EN 10216-2	NT	Seamless tubes	12,7	219,1	IC 3.1		
	X11CrMo9-1+NT	DIN EN 10216-2	NT	Seamless tubes	4,5-25	60,3-273	IC 3.2		
	X11CrMo5+NT1, +NT2	DIN EN 10216-2	NT	Seamless tubes	9,27	273	IC 3.1		
	X11CrMo5+NT1, +NT2	DIN EN 10216-2	NT	Seamless tubes	2,3-25	21,3-273	IC 3.2		
1.3	P275NL1, P275NL2	DIN EN 10216-3	N	Seamless tubes	2,3-25	21,3-273	IC 3.1		
	P355N, P355NH	DIN EN 10216-3	N	Seamless tubes	2,3-25	21,3-273	IC 3.1		
	P355NL1, P355NL2	DIN EN 10216-3	N	Seamless tubes	2,3-25	21,3-273	IC 3.1		
1.4	P215NL, P265NL	DIN EN 10216-4	N	Seamless tubes	2,3-25	21,3-273	IC 3.1		
1.5	P195TR2 bis P265TR2	DIN EN 10217-1	N <sup>1)</sup>	SAWH pipes	5-16	324-1016	IC 3.1		
1.6	P235GH	DIN EN 10217-5	N <sup>1)</sup>	SAWH pipes	5-16	324-1016	IC 3.1		
	P265GH	DIN EN 10217-5	N <sup>1)</sup>	SAWH pipes	5-16	324-1016	IC 3.1		
1.7	P355N, P355NH	DIN EN 10217-3	N <sup>1)</sup>	SAWH pipes	8	711	IC 3.1		
	P355N, P355NH	DIN EN 10217-3	N <sup>1)</sup>	SAWH pipes	5-16	324-1016	IC 3.2		

### Erläuterung / Explanation:

\*+AT = Lösungsgeglüht / solution annealed, +N = normalgeglüht, normalisierend umgeformt / normalized forming, +U = unbehandelt / untreated, +NT = normalgeglüht und angelassen / normalized and tempered, +QT = vergütet / quenched and tempered, +M = thermomechanisch umgeformt / thermo mechanical formed, +AR = wie gewalzt / as rolled, +SR = spannungsamgeglüht / stress relieved, +A = weichgeglüht / cold rolled (weitere Symbole / other symbols: EN 10027-1, Tab. 18)

X Richtlinie 2014/68/EU, Anh. I, Pkt. 4.3 / Directive 2014/68/EU, Ann. I, Point 4.3. Zertifikat-Nr. / Certificate No.: 0045/202/9190/WZ/0807/18 (01)

X AD 2000-Merkblatt W 0 / AD 2000-Merkblatt W 0 Zertifikat-Nr. / Certificate No.: 07/203/9190/WP/0807/18 (01)



<b>Firma / Company:</b>	<b>Ort / Location:</b>	<b>AZ / File No.:</b>	<b>SAP-Nr.:</b>	<b>Datum / Date:</b>
Liberty Ostrava a.s., Plant 15 – Tube plant	Vratimovská 689/117, Kunčice 719 00 Ostrava, CZ	4319368/01	9190/WZ/0807/20 Erweit2	23.03.20

Nr.	Werkstoffbezeichnung Material designation	Spezifikation Specification	Lieferzustand* Delivery cond.*	Erzeugnisform Product type	Abmessungen Dimensions		Prüfgrundlagen Test specifications	Bemerkungen Remarks
					Dicke Thickness [mm]	Ø / Gewicht Ø / Weight [mm] / [kg]		
1	2	3	4	5	6	7 / 8	9	10
2 Werkstoffe nach AD 2000/Materials according to AD 2000								
2.1	P195TR2 to P265TR2	DIN EN 10216-1	N	Seamless tubes	2,3-25	21,3-273	IC 3.1	Inspection certificate EN 10204-3.1. acc to AD2000-W4, table 1 a, note 2 and acc. to AD2000-W10, table 1, note 11 See letter of agreement, TÜV NORD file: 4320118/01 / 06.03.2020  1) = valid for coil  Additional Remarks: The manufacturer fulfilled the requirements acc. to TRD 100
2.2	P195GH to P265GH	DIN EN 10216-2	N	Seamless tubes	2,3-25	21,3-273	IC 3.1	
	16Mo3	DIN EN 10216-2	N	Seamless tubes	2,3-25	21,3-273	IC 3.1	
	10CrMo5-5, 10CrMo9-10	DIN EN 10216-2	NT	Seamless tubes	2,3-25	21,3-273	IC 3.2 for AD2000-W4	
	13CrMo4-5	DIN EN 10216-2	NT	Seamless tubes	6,3-25	139,7-273	IC 3.2 for AD2000-W4	
2.3	P275NL1, P275NL2	DIN EN 10216-3	N	Seamless tubes	2,3-25	21,3-273	IC 3.1 for AD2000-W4, W10 VdTÜV Wbi. 352/2	
	P355N, P355NH	DIN EN 10216-3	N	Seamless tubes	2,3-25	21,3-273	IC 3.1 for AD2000-W4, VdTÜV Wbi. 354/2	
	P355NL1, P355NL2	DIN EN 10216-3	N	Seamless tubes	2,3-25	21,3-273	IC 3.2 for AD2000-W10 and VdTÜV Wbi. 354/2	
2.4	P215NL, P265NL	DIN EN 10216-4	N	Seamless tubes	2,3-25	21,3-273	IC 3.2 for AD2000-W4, W10 and VdTÜV Wbi. 354/2	
2.5	P195TR2 bis P265TR2	DIN EN 10217-1	N <sup>1)</sup>	SAWH pipes	5-16	324-1016	IC 3.1 for AD2000-W4, W10	
2.6	P235GH	DIN EN 10217-5	N <sup>1)</sup>	SAWH pipes	5-16	324-1016	IC 3.1	
	P265GH	DIN EN 10217-5	N <sup>1)</sup>	SAWH pipes	5-16	324-1016	IC 3.1	

### Erläuterung / Explanation:

\*+AT = Lösungsgeglüht / solution annealed, +N = normalgeglüht / normalized forming, +U = unbehandelt / untreated, +NT = normalgeglüht und angelassen / normalized and tempered, +CT = vergütet / quenched and tempered, +M = thermomechanisch umgeformt / thermo mechanical formed, +AR = wie gewalzt / as rolled, +SR = spannungsarmgeglüht / stress relieved, +A = weichgeglüht / soft annealed, +CR = kaltgewalzt / cold rolled (weitere Symbole / other symbols: EN 10027-1, Tab. 18)



# TÜV NORD Systems GmbH & Co. KG

## Geltungsbereich als Anlage zum Zertifikat / Scope of Approval as annex to Certificate

X Richtlinie 2014/68/EU, Anh. I, Pkt. 4.3 / Directive 2014/68/EU, Ann. I, Point 4.3. Zertifikat-Nr. / Certificate No.: 0045/202/9190/WZ/0807/18 (01)

X AD 2000-Merkblatt W 0 / AD 2000-Merkblatt W 0 Zertifikat-Nr. / Certificate No.: 07/203/9190/WP/0807/18 (01)



Firma / Company:		Ort / Location:		AZ / File No.:		SAP-Nr.:		Datum / Date:	
Liberty Ostrava a.s., Plant 15 – Tube plant		Vratimovská 689/117, Kunčice 719 00 Ostrava, CZ		4319368/01		9190/WZ/0807/20 Erweit2		23.03.20	
Nr.	Werkstoffbezeichnung Material designation	Spezifikation Specification	Lieferzustand* Delivery cond.*	Erzeugnisform Product type	Abmessungen Dimensions Dicke Thickness [mm]		Ø / Gewicht Ø / Weight [mm] / [kg]		Bemerkungen Remarks
1	2	3	4	5	6	7	8	9	10
4 Werkstoffe nach anderen Standards, Technische Regeln / Materials according to other standards, technical rules									
4.1	S235JRH, S275J0H, S275J2H, S355J0H, S355J2H, S275NH, S275NLH, S355NH, S355NLH S355K2H, S420NH, S420NLH, S460NH, S460NLH	DIN EN 10210-1,2 DIN EN 10210-1,2 DIN EN 10210-1,2 DIN EN 10210-1,2 DIN EN 10210-1,2	N N N N N	Seamless tubes Seamless tubes Seamless tubes Seamless tubes Seamless tubes	2,3-25 2,3-25 2,3-25 2,3-25 2,3-25	21,3-273 21,3-273 21,3-273 21,3-273 21,3-273	Regulation 305/2011/EU CE - mark		Certifies for constructions products with "CE- Marking" according to annex ZA of EN 10210-1 and EN 10219-1. Details of the certification are published in the certificate of the Certification Body CPR of TÜV NORD Systems.
4.2	S235JRH, S275J0H, S275J2H, S355J0H, S355J2H	DIN EN 10219-1,2	N <sup>1)</sup>	SAWH pipes	5-16	324-1016	Regulation 305/2011/EU CE - mark		Certified for constructions products with "Ü - Zeichen" acc. to the German standard "Bauregelliste". Details of the certification are written in the certification documents of the "PÜZ-Body" of TÜV NORD Systems GmbH.
4.3	St 37.0, St 44.0, St 52.0	DIN 1629	N	Seamless tubes	2,3-25	21,3-273	BRL Ü - mark		

### Erläuterung / Explanation:

\* +AT = Lösungsgelüht / solution annealed, +N = normalgeglüht, normalisierend umgeformt / normalized forming, +U = unbehandelt / untreated, +NT = normalgeglüht und angelassen / normalized and tempered, +QT = vergütet / quenched and tempered, +M = thermomechanisch umgeformt / thermo mechanical formed, +AR = wie gewalzt / as rolled, +SR = spannungsarmgeglüht / stress relieved, +A = weichgeglüht / soft annealed, +CR = kaltgewalzt / cold rolled (weitere Symbole / other symbols: EN 10027-1, Tab. 18)